

SUNGROW ACCESSORIES COMPATIBILITY LIST



SG2.0-6.0RS



Communication

	Part of delivery	Max. Support	Features / Comment
WiNet-S	yes	max. 1 device	10 sec. refresh, WiFi or Ethernet

	Part of delivery	Feed-in limitation	Features / Comment
S100	no	max. 1 device	





Communication

	Part of delivery	Max. Support	Features / Comment
WiNet-S	yes	max. 1 device	10 sec. refresh, WiFi or Ethernet
COMI00E	no	max. 5 devices	FTP push, connecting environm. sensors, daisy chain mode

	Part of delivery	Feed-in limitation	Features / Comment
DTSD1352 80A	no	max. 1 device	
DTSD1352 6A*	no	max. 5 devices	CT to be bought from 3rd party manufacturer
Janitza* (UMG604, UMG104)	no	max. 5 devices	to be bought from 3rd party manufacturer
Weidmüller*	no	max. 5 devices	to be bought from 3rd party manufacturer

^{*} only in combination with COM100E





Communication

	Part of delivery	Max. Support	Features / Comment
WiNet-S	yes	max. 1 device	10 sec. refresh, WiFi or Ethernet

	Part of delivery	Feed-in limitation	Features / Comment
S100	yes	max. 1 device	





Communication

	Part of delivery	Max. Support	Features / Comment
WiNet-S	yes	max. 1 device	10 sec. refresh, WiFi or Ethernet

	Part of delivery	Feed-in limitation	Features / Comment
DTSU666	yes	yes 1 per host inverter	
DTSD1352 80A	no	yes 1 per host inverter	
DTSD1352 6A	no	yes 1 per host inverter	CT to be bought from 3rd party manufacturer





Communication

	Part of delivery	Max. Support	Features / Comment
WiNet-S	no	max. 1 device	10 sec. refresh, WiFi or Ethernet
COMIOOE	no	max. 30 devices	FTP push, connecting environm. sensors, daisy chain mode, IV curve scan
EyeM4	no	max. 10 devices	

	Part of delivery	Feed-in limitation	Features / Comment
DTSD1352 6A*	no	max. 30 devices (SG33-50CX) max. 25 devices (SG110CX)	CT to be bought from 3rd party manufacturer
Janitza* (UMG604, UMG104)	no	max. 30 devices	to be bought from 3rd party manufacturer
Weidmüller*	no	max. 30 devices	to be bought from 3rd party manufacturer

^{*} only in combination with COM100E